Uniform Mitigation Verification Inspection Form

Maintain a copy of this form and any documentation provided with the insurance policy

Inspec	tion Date: 1/8/24						
Owner Information							
Owner Name:				Contact Person:			
Addre	SS: 2924-2934 STAR APPLE COURT			Home Phone:			
City:P	ALM HARBOR	Zip:	34684	Work Phone:			
	y:PINELLAS			Cell Phone:			
	nce Company:			Policy #:			
Year o	of Home: 1983	# of Stories: 1		Email:			
NOTE: Any documentation used in validating the compliance or existence of each construction or mitigation attribute must accompany this form. At least one photograph must accompany this form to validate each attribute marked in questions 3 though 7. The insurer may ask additional questions regarding the mitigated feature(s) verified on this form.							
	ilding Code: Was the structure b HVHZ (Miami-Dade or Broward	counties), South Florida	Building Code (SFI	BC-94)?			
	A. Built in compliance with the la date after 3/1/2002: Building P				mit application with		
	B. For the HVHZ Only: Built in provide a permit application with						
~	C. Unknown or does not meet th	e requirements of Answe	er "A" or "B"				
OF	of Covering: Select all roof cover R Year of Original Installation/Reporting identified.						
CO		ermit Application Date	FBC or MDC Product Approval #	Year of Original Installation or Replacement	No Information Provided for Compliance		
	☑ 1. Asphalt/Fiberglass Shingle	12,21,23		2024			
	2. Concrete/Clay Tile						
	_						
							
	B. All roof coverings have a Miami-Dade Product Approval listing current at time of installation OR (for the HVHZ only) a roofing permit application after 9/1/1994 and before 3/1/2002 OR the roof is original and built in 1997 or later.						
	C. One or more roof coverings d	•		or "B".			
	D. No roof coverings meet the re	equirements of Answer ".	A" or "B".				
3. Ro	of Deck Attachment: What is the	weakest form of roof de	eck attachment?				
	A. Plywood/Oriented strand board (OSB) roof sheathing attached to the roof truss/rafter (spaced a maximum of 24" inches o.c by staples or 6d nails spaced at 6" along the edge and 12" in the fieldOR- Batten decking supporting wood shakes or woo shinglesOR- Any system of screws, nails, adhesives, other deck fastening system or truss/rafter spacing that has an equivaler mean uplift less than that required for Options B or C below.						
	B. Plywood/OSB roof sheathing with a minimum thickness of 7/16"inch attached to the roof truss/rafter (spaced a maximum of 24"inches o.c.) by 8d common nails spaced a maximum of 12" inches in the fieldOR- Any system of screws, nails, adhesive other deck fastening system or truss/rafter spacing that is shown to have an equivalent or greater resistance 8d nails spaced maximum of 12 inches in the field or has a mean uplift resistance of at least 103 psf.						
፟	C. Plywood/OSB roof sheathing 24"inches o.c.) by 8d common redecking with a minimum of 2 na Any system of screws, nails, add	nails spaced a maximum tils per board (or 1 nail p nesives, other deck faster	of 6" inches in the f eer board if each boarding system or truss/	ieldOR- Dimensional lumbrd is equal to or less than 6 is rafter spacing that is shown	per/Tongue & Groove nches in width)OR-		
Inspectors Initials SB Property Address 2924-2934 STAR APPLE CT, PALM HARBOR, FL, 34684							

*This verification form is valid for up to five (5) years provided no material changes have been made to the structure. OIR-B1-1802 (Rev. 01/12) Adopted by Rule 69O-170.0155 Page 1 of 4

		or greater res	sistance than 8d common nails spaced a maximum of 6 inches in the field or has a mean uplift resistance of at least
		•	ed Concrete Roof Deck.
			ed Collette Roof Beek.
			n or unidentified.
		G. No attic a	
4.	5 fe	eet of the insid	tachment: What is the <u>WEAKEST</u> roof to wall connection? (Do not include attachment of hip/valley jacks within le or outside corner of the roof in determination of WEAKEST type)
		A. Toe Nails	S
			Truss/rafter anchored to top plate of wall using nails driven at an angle through the truss/rafter and attached to the top plate of the wall, or
			Metal connectors that do not meet the minimal conditions or requirements of B, C, or D
	Mir	nimal conditi	ons to qualify for categories B, C, or D. All visible metal connectors are:
		V	Secured to truss/rafter with a minimum of three (3) nails, and
			Attached to the wall top plate of the wall framing, or embedded in the bond beam, with less than a ½" gap from the blocking or truss/rafter and blocked no more than 1.5" of the truss/rafter, and free of visible severe corrosion.
	V	B. Clips	
		V	Metal connectors that do not wrap over the top of the truss/rafter, or
			Metal connectors with a minimum of 1 strap that wraps over the top of the truss/rafter and does not meet the nail position requirements of C or D, but is secured with a minimum of 3 nails.
		C. Single W	
			Metal connectors consisting of a single strap that wraps over the top of the truss/rafter and is secured with a minimum of 2 nails on the front side and a minimum of 1 nail on the opposing side.
		D. Double V	•
			Metal Connectors consisting of 2 separate straps that are attached to the wall frame, or embedded in the bond beam, on either side of the truss/rafter where each strap wraps over the top of the truss/rafter and is secured with a minimum of 2 nails on the front side, and a minimum of 1 nail on the opposing side, or
			Metal connectors consisting of a single strap that wraps over the top of the truss/rafter, is secured to the wall on both sides, and is secured to the top plate with a minimum of three nails on each side.
		E. Structura	Anchor bolts structurally connected or reinforced concrete roof.
		F. Other: _	
		G. Unknown	n or unidentified
		H. No attic a	access
5.			What is the roof shape? (Do not consider roofs of porches or carports that are attached only to the fascia or wall of e over unenclosed space in the determination of roof perimeter or roof area for roof geometry classification).
		A. Hip Roof	Hip roof with no other roof shapes greater than 10% of the total roof system perimeter.
		B. Flat Roof	Total length of non-hip features: 638 feet; Total roof system perimeter: feet
	_		less than 2:12. Roof area with slope less than 2:12 sq ft; Total roof areasq ft
	v	C. Other Ro	of Any roof that does not qualify as either (A) or (B) above.
6.	_	A. SWR (also sheathing dwelling	er Resistance (SWR): (standard underlayments or hot-mopped felts do not qualify as an SWR) so called Sealed Roof Deck) Self-adhering polymer modified-bitumen roofing underlayment applied directly to the g or foam adhesive SWR barrier (not foamed-on insulation) applied as a supplemental means to protect the from water intrusion in the event of roof covering loss.
		B. No SWR	n or undetermined.
	_	C. CHRHOWI	. or undetermined.
Ins	spec	tors Initials <u>S</u>	Property Address 2924-2934 STAR APPLE CT, PALM HARBOR, FL, 34684
ψT		••• •• •	

^{*}This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

7. <u>Opening Protection</u>: What is the <u>weakest</u> form of wind borne debris protection installed on the structure? **First**, use the table to determine the weakest form of protection for each category of opening. **Second**, (a) check one answer below (A, B, C, N, or X) based upon the lowest protection level for ALL Glazed openings **and** (b) check the protection level for all Non-Glazed openings (.1, .2, or .3) as applicable.

Opening Protection Level Chart Place an "X" in each row to identify all forms of protection in use for each opening type. Check only one answer below (A thru X), based on the weakest form of protection (lowest row) for any of the Glazed openings and indicate the weakest form of protection (lowest row) for Non-Glazed openings.		Glazed Openings				Non-Glazed Openings	
		Windows or Entry Doors	Garage Doors	Skylights	Glass Block	Entry Doors	Garage Doors
N/A	Not Applicable- there are no openings of this type on the structure		N/A	N/A	N/A		
Α	Verified cyclic pressure & large missile (9-lb for windows doors/4.5 lb for skylights)						
В	Verified cyclic pressure & large missile (4-8 lb for windows doors/2 lb for skylights)						
С	Verified plywood/OSB meeting Table 1609.1.2 of the FBC 2007						
D	Verified Non-Glazed Entry or Garage doors indicating compliance with ASTM E 330, ANSI/DASMA 108, or PA/TAS 202 for wind pressure resistance						
N	Opening Protection products that appear to be A or B but are not verified						
IN	Other protective coverings that cannot be identified as A, B, or C						
Х	No Windborne Debris Protection	Х				Х	Х

╛	A. Exterior Openings Cyclic Pressure and 9-lb Large Missile (4.5 lb for skylights only) All Glazed openings are protected at
	a minimum, with impact resistant coverings or products listed as wind borne debris protection devices in the product approval
	system of the State of Florida or Miami-Dade County and meet the requirements of one of the following for "Cyclic Pressure
	and Large Missile Impact" (Level A in the table above).

- Miami-Dade County PA 201, 202, and 203
- Florida Building Code Testing Application Standard (TAS) 201, 202, and 203
- American Society for Testing and Materials (ASTM) E 1886 and ASTM E 1996
- Southern Standards Technical Document (SSTD) 12
- For Skylights Only: ASTM E 1886 and ASTM E 1996
- For Garage Doors Only: ANSI/DASMA 115

in the table above

A.1 All Non-Glazed openings classified as A in the table above, or no Non-Glazed openings exist
A.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level B, C, N, or X in the table above
A.3 One or More Non-Glazed Openings is classified as Level B, C, N, or X in the table above
B. Exterior Opening Protection- Cyclic Pressure and 4 to 8-lb Large Missile (2-4.5 lb for skylights only) All Glazed openings are protected, at a minimum, with impact resistant coverings or products listed as windborne debris protection devices in the product approval system of the State of Florida or Miami-Dade County and meet the requirements of one of the following for "Cyclic Pressure and Large Missile Impact" (Level B in the table above):
• ASTM E 1886 <u>and</u> ASTM E 1996 (Large Missile – 4.5 lb.)
• SSTD 12 (Large Missile – 4 lb. to 8 lb.)
• For Skylights Only: ASTM E 1886 and ASTM E 1996 (Large Missile - 2 to 4.5 lb.)
B.1 All Non-Glazed openings classified as A or B in the table above, or no Non-Glazed openings exist
B.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level C, N, or X

☐ B.3 One or More Non-Glazed openings is classified as Level C, N, or X in the table above
 ☐ C. Exterior Opening Protection- Wood Structural Panels meeting FBC 2007 All Glazed openings are covered with plywood/OSB meeting the requirements of Table 1609.1.2 of the FBC 2007 (Level C in the table above).
 ☐ C.1 All Non-Glazed openings classified as A, B, or C in the table above, or no Non-Glazed openings exist
 ☐ C.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level N or X in the table above.

C.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level N or X in the table above

C.3 One or More Non-Glazed openings is classified as Level N or X in the table above

Inspectors Initials SB Property Address 2924-2934 STAR APPLE CT, PALM HARBOR, FL, 34684

^{*}This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

	quirements of Answer "A", "B", or C" or sy	tation) All Glazed openings are protected with systems that appear to meet Answer "A" or "B"			
☐ N.1 All Non-Glazed openings classified a	<u> </u>				
_		Non-Glazed openings classified as Level X in the			
☐ N.3 One or More Non-Glazed openings is	s classified as Level X in the table above				
☑ X. None or Some Glazed Openings Or	ne or more Glazed openings classified and I	Level X in the table above.			
	TIONS MUST BE CERTIFIED BY A QUAI a Statutes, provides a listing of individuals				
Qualified Inspector Name: Shaun Bernstein	License Type: Building	License or Certificate #: CBC1250088			
Inspection Company:	Building	Phone:			
Sunshine Builders of Tampa LLC	•	813-971-5003			
Qualified Inspector – I hold an active					
training approved by the Construction Industry	14, Florida Statutes who has completed the statu Licensing Board and completion of a proficience				
Building code inspector certified under Section					
General, building or residential contractor licer					
Professional engineer licensed under Section 4	,				
Professional architect licensed under Section 4					
Any other individual or entity recognized by the verification form pursuant to Section 627.711(2)	ne insurer as possessing the necessary qualification (2), Florida Statutes.	ons to properly complete a uniform mitigation			
Individuals other than licensed contractors					
under Section 471.015, Florida Statutes, mu					
Licensees under s.471.015 or s.489.111 may experience to conduct a mitigation verificati		es the requisite skill, knowledge, and			
Chaum Damatain					
(print name)	fied inspector and I personally performe	ed the inspection or (ucensed			
contractors and professional engineers only)) perform the inspection of inspector)			
and I agree to be responsible for his/her wo	-	of hispector)			
Qualified Inspector Signature: Shaun Ber					
An individual or entity who knowingly or th	nrough gross negligence provides a false o	or fraudulent mitigation verification form is			
subject to investigation by the Florida Divisi	ion of Insurance Fraud and may be subje	ect to administrative action by the			
appropriate licensing agency or to criminal					
<u>certifies this form shall be directly liable for performed the inspection.</u>	the misconduct of employees as if the au	unorized mitigation inspector personally			
Homeowner to complete: I certify that the					
residence identified on this form and that proof of identification was provided to me or my Authorized Representative.					
Signature: Date:					
An individual or entity who knowingly provides or utters a false or fraudulent mitigation verification form with the intent to					
obtain or receive a discount on an insurance of the first degree. (Section 627.711(7), Flori		ity is not entitled commits a misdemeanor			
The definitions on this form are for inspections offering protection from hurricanes.	on purposes only and cannot be used to c	certify any product or construction feature			
Inspectors Initials SB Property Address 2924-2934 STAR APPLE CT, PALM HARBOR, FL, 34684					
*This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.					

Shaun Bernstein

Watertight Roofing Services
1/8/2024 | 24 Photos



2924-2934 STAR APPLE CT

Section 1

1



Project: STRATHMORE GATE-2924-2934 STAR APPLE CT / 2310-5006540-01

Date: 1/8/2024, 11:46am Creator: Hector Reyes

2



Project: STRATHMORE GATE - 2924 - 2934 STAR APPLE CT / 2310 - 5006540 - 01

Date: 1/8/2024, 11:46am Creator: Hector Reyes


3



Project: STRATHMORE GATE - 2924 - 2934 STAR APPLE CT / 2310 - 5006540 - 01

Date: 1/8/2024, 11:47am Creator: Hector Reyes

4



Project: STRATHMORE GATE - 2924 - 2934 STAR APPLE CT / 2310 - 5006540 - 01

Date: 1/8/2024, 11:47am Creator: Hector Reyes

5



Project: STRATHMORE GATE - 2924 - 2934 STAR APPLE CT / 2310 - 5006540 - 01

Date: 1/8/2024, 11:47am Creator: Hector Reyes

6



Project: STRATHMORE GATE - 2924 - 2934 STAR APPLE CT / 2310 - 5006540 - 01

Date: 1/8/2024, 11:47am Creator: Hector Reyes


7



Project: STRATHMORE GATE - 2924 - 2934 STAR APPLE CT / 2310 - 5006540 - 01

Date: 1/8/2024, 11:50am Creator: Hector Reyes

8



Project: STRATHMORE GATE - 2924 - 2934 STAR APPLE CT / 2310 - 5006540 - 01


Date: 1/8/2024, 11:51am Creator: Hector Reyes

9



Project: STRATHMORE GATE - 2924 - 2934 STAR APPLE CT / 2310 - 5006540 - 01

Date: 1/8/2024, 11:52am Creator: Hector Reyes



Project: STRATHMORE GATE - 2924 - 2934 STAR APPLE CT / 2310 - 5006540 - 01

Date: 1/8/2024, 11:52am Creator: Hector Reyes

11



Project: STRATHMORE GATE-2924-2934 STAR APPLE CT / 2310-5006540-01

Date: 1/8/2024, 11:53am Creator: Hector Reyes

12



Project: STRATHMORE GATE - 2924 - 2934 STAR APPLE CT / 2310 - 5006540 - 01

Date: 1/8/2024, 11:53am Creator: Hector Reyes

13



Project: STRATHMORE GATE-2924-2934 STAR APPLE CT / 2310-5006540-01

Date: 1/8/2024, 11:53am Creator: Hector Reyes

14



Project: STRATHMORE GATE-2924-2934 STAR APPLE CT / 2310-5006540-01

Date: 1/8/2024, 11:53am Creator: Hector Reyes

15



Project: STRATHMORE GATE-2924-2934 STAR APPLE CT / 2310-5006540-01

Date: 1/8/2024, 12:05pm Creator: Hector Reyes

16



Project: STRATHMORE GATE - 2924 - 2934 STAR APPLE CT / 2310 - 5006540 - 01

Date: 1/8/2024, 12:06pm Creator: Hector Reyes

17



Project: STRATHMORE GATE - 2924 - 2934 STAR APPLE CT / 2310 - 5006540 - 01

Date: 1/8/2024, 12:07pm Creator: Hector Reyes

18



Project: STRATHMORE GATE-2924-2934 STAR APPLE CT / 2310-5006540-01

Date: 1/8/2024, 12:11pm Creator: Hector Reyes

19



Project: STRATHMORE GATE - 2924 - 2934 STAR APPLE CT / 2310 - 5006540 - 01

Date: 1/8/2024, 12:13pm Creator: Hector Reyes

20



Project: STRATHMORE GATE - 2924 - 2934 STAR APPLE CT / 2310 - 5006540 - 01

Date: 1/8/2024, 12:13pm Creator: Hector Reyes



Project: STRATHMORE GATE - 2924 - 2934 STAR APPLE CT / 2310 - 5006540 - 01

Date: 1/3/2024, 11:30am Creator: Maynor Perez



Project: STRATHMORE GATE-2924-2934 STAR APPLE CT / 2310-5006540-01

Date: 1/3/2024, 11:30am Creator: Maynor Perez

23



Project: STRATHMORE GATE-2924-2934 STAR APPLE CT / 2310-5006540-01

Date: 1/3/2024, 10:40am Creator: Maynor Perez



Project: STRATHMORE GATE - 2924 - 2934 STAR APPLE CT / 2310 - 5006540 - 01

Date: 1/3/2024, 10:40am Creator: Maynor Perez